



PRECISION FILES

Pillar,
Demi-
Narrow



Length	Cut						Width	Thickness
4"	—	0	—	2	—	—	1/4"	7/64"
6"	00	0	1	2	4	—	3/8"	5/32"
8"	00	0	—	2	—	—	15/32"	3/16"

Pillar,
Extra
Narrow



Length	Cut						Width	Thickness
3"	—	0	—	2	—	—	1/8"	5/64"
4"	00	0	1	2	4	—	5/32"	5/64"
6"	00	0	1	2	4	6	13/64"	1/8"
8"	00	0	1	2	4	—	9/32"	9/64"
10"	00	0	—	2	—	—	11/32"	11/64"

Pillar,
Narrow



Length	Cut						Width	Thickness
4"	00	0	1	2	4	—	13/16"	3/32"
6"	00	0	1	2	4	6	1/4"	9/64"
8"	00	0	1	2	4	—	11/32"	11/64"
10"	00	0	—	2	—	—	25/64"	3/16"

Pillar,
Regular



A general purpose file used primarily for working on flat surfaces. Because this group of files is available in various widths, they are adaptable for filing in slots, keyways, splines and similar applications. While parallel in width they are tapered in thickness to make possible perfectly flat filing.

Length	Cut								Width	Thickness
3"	—	0	—	—	—	—	—	—	1/4"	3/32"
4"	00	0	1	2	—	4	6	—	3/8"	1/8"
6"	00	0	1	2	3	4	6	8	1/2"	11/64"
8"	00	0	1	2	3	4	—	—	19/32"	13/64"
10"	00	0	—	2	—	—	—	—	23/32"	15/64"

Pippin



Tapered in width and thickness. For use in rapid removal of material, and for fine finishing. Combines the cross sections of the round with the crossing file and having the edge of a knife file for finishing the junction of two different curved surfaces and for opening slots when a "V" shape is required.

Length	Cut				Width	Thickness
4"	—	0	2	4	9/32"	3/32"
6"	00	0	2	4	25/64"	9/64"
8"	00	0	2	—	15/32"	11/64"